


4.3 - GUARNIZIONI "O-Ring" in viton®



Cod.:O ...¹⁾

Esempio di codifica:
Cod.: O 2007

Riferimenti commerciali		Dimensioni		Riferimenti commerciali		Dimensioni		Riferimenti commerciali		Dimensioni	
Inglese ¹⁾	USA	Ø i	C	Inglese ¹⁾	USA	Ø i	C	Inglese ¹⁾	USA	Ø i	C
2007	2-4	1.78	1.78		2-102	1.25	2.62	3275	2-148	69.52	2.62
2010	2-5	2.57	1.78		2-103	2.06	2.62	3281	2-149	71.12	2.62
101-2012	2-6	2.90	1.78		2-104	2.85	2.62	3287	2-150	72.69	2.62
102-2015	2-7	3.68	1.78		2-105	3.63	2.62	3300	2-151	75.87	2.62
103-2018	2-8	4.48	1.78		2-106	4.42	2.62	3325	2-152	82.22	2.62
104-2021	2-9	5.28	1.78	3021	2-107	5.23	2.62	3350	2-153	88.57	2.62
105-1025	2-10	6.07	1.78	3024	2-108	6.02	2.62	3375	2-154	94.92	2.62
106-106	5-052	6.75	1.78	3030	2-109	7.60	2.62	3400	2-155	101.27	2.62
107-2031	2-11	7.65	1.78	109-109	2-110	9.13	2.62	3425	2-156	107.62	2.62
108-108	5-612	8.73	1.78	111-3037	2-110	9.19	2.62	3450	2-157	113.97	2.62
110-2037	2-12	9.25	1.78	112-112	5-614	9.92	2.62	3475	2-158	120.32	2.62
2043	2-13	10.82	1.78	113-3043	2-111	10.77	2.62	3500	2-159	126.67	2.62
114-114	5-613	11.10	1.78	115-115	5-615	11.91	2.62	3525	2-160	133.02	2.62
2050	2-14	12.42	1.78	116-3050	2-112	12.37	2.62	3550	2-161	139.37	2.62
2056	2-15	14.00	1.78	117-117	5-616	13.10	2.62	3575	2-162	145.72	2.62
2062	2-16	15.60	1.78	118-3056	2-113	13.94	2.62	3600	2-163	152.07	2.62
2068	2-17	17.17	1.78	119-119	5-243	15.08	2.62	3625	2-164	158.42	2.62
2075	2-18	18.77	1.78	120-3062	2-114	15.54	2.62	3650	2-165	164.77	2.62
2081	2-19	20.35	1.78	121-121	5-617	15.88	2.62	3675	2-166	171.12	2.62
2087	2-20	21.95	1.78	122-3068	2-115	17.12	2.62	3700	2-167	177.47	2.62
2093	2-21	23.52	1.78	123-123	5-256	17.86	2.62	3725	2-168	183.82	2.62
2100	2-22	25.12	1.78	124-3075	2-116	18.72	2.62	3750	2-169	190.17	2.62
2106	2-23	26.70	1.78	127-3081	2-117	20.29	2.62	3775	2-170	196.52	2.62
2116	2-24	28.30	1.78	128-128	2-117	20.63	2.62	3800	2-171	202.87	2.62
2118	2-25	29.87	1.78	3087	2-118	21.89	2.62	3825	2-172	209.22	2.62
2125	2-26	31.47	1.78	130-130	2-118	22.22	2.62	3850	2-173	215.57	2.62
2131	2-27	33.05	1.78	3093	2-119	23.47	2.62	3875	2-174	221.92	2.62
2137	2-28	34.65	1.78	132-132	2-119	23.81	2.62	3900	2-175	228.27	2.62
2150	2-29	37.82	1.78	3100	2-120	25.07	2.62	3925	2-176	234.62	2.62
2162	2-30	41.00	1.78	3106	2-121	26.64	2.62	3950	2-177	240.97	2.62
2175	2-31	44.17	1.78	3112	2-122	28.24	2.62	3975	2-178	247.32	2.62
2187	2-32	47.34	1.78	3118	2-123	29.82	2.62				
2200	2-33	50.52	1.78	3125	2-124	31.42	2.62				
2212	2-34	53.70	1.78	3131	2-125	32.99	2.62				
2225	2-35	56.87	1.78	3137	2-126	34.59	2.62				
2237	2-36	60.04	1.78	3143	2-127	36.14	2.62				
2250	2-37	63.22	1.78	3150	2-128	37.77	2.62				
2262	2-38	66.39	1.78	3156	2-129	39.34	2.62				
2275	2-39	69.57	1.78	3162	2-130	40.95	2.62				
2287	2-40	72.74	1.78	3168	2-131	42.52	2.62				
2300	2-41	75.92	1.78	3175	2-132	44.12	2.62				
2325	2-42	82.27	1.78	3181	2-133	45.69	2.62				
2350	2-43	88.62	1.78	3187	2-134	47.29	2.62				
2375	2-44	94.97	1.78	3193	2-135	48.90	2.62				
2400	2-45	101.32	1.78	3200	2-136	50.47	2.62				
2425	2-46	107.67	1.78	3206	2-137	52.07	2.62				
2450	2-47	114.02	1.78	3212	2-138	53.64	2.62				
2475	2-48	120.37	1.78	3218	2-139	55.25	2.62				
2500	2-49	126.72	1.78	3225	2-140	56.82	2.62				
2525	2-50	133.07	1.78	3231	2-141	58.42	2.62				
				3237	2-142	59.99	2.62				
				3243	2-143	61.60	2.62				
				3250	2-144	63.17	2.62				
				3256	2-145	64.77	2.62				
				3262	2-146	66.34	2.62				
				3268	2-147	67.95	2.62				


Usare il riferimento inglese

O - RING in viton®

Riferimenti commerciali		Dimensioni		Riferimenti commerciali		Dimensioni		Riferimenti commerciali		Dimensioni	
Inglese ¹⁾	USA	Ø i	C	Inglese ¹⁾	USA	Ø i	C	Inglese ¹⁾	USA	Ø i	C
	2-201	4.34	3.53	4300	2-234	75.80	3.53		2-316	21.59	5.33
	2-202	5.94	3.53	4312	2-235	78.97	3.53		2-317	23.17	5.33
4028	2-203	7.52	3.53	4325	2-236	82.15	3.53		2-318	24.77	5.33
4036	2-204	9.12	3.53	4337	2-237	85.32	3.53		2-319	26.34	5.33
	2-205	10.69	3.53	4350	2-238	88.50	3.53		2-320	27.94	5.33
4050	2-206	12.29	3.53	4362	2-239	91.67	3.53		2-321	29.52	5.33
4055	2-207	13.87	3.53	4375	2-240	94.85	3.53		2-322	31.12	5.33
4061	2-208	15.47	3.53	4387	2-241	98.02	3.53		2-323	32.69	5.33
4067	2-209	17.04	3.53	4400	2-242	101.20	3.53		2-324	34.29	5.33
125-4075	2-210	18.64	3.53	4412	2-243	104.37	3.53	143-6150	2-325	37.47	5.33
126-4081	2-211	20.22	3.53	4425	2-244	107.54	3.53	145-6162	2-326	40.64	5.33
129-4087	2-212	21.82	3.53	4437	2-245	110.72	3.53	148-6175	2-327	43.82	5.33
131-4093	2-213	23.39	3.53	4450	2-246	113.90	3.53	151-6187	2-328	46.99	5.33
133-4100	2-214	24.99	3.53	4462	2-247	117.07	3.53	154-6200	2-329	50.17	5.33
134- 134	5-618	25.80	3.53	4475	2-248	120.25	3.53	157-6212	2-330	53.34	5.33
135-4106	2-215	26.57	3.53	4487	2-249	123.42	3.53	160-6225	2-331	56.52	5.33
136-4112	2-216	28.17	3.53	4500	2-250	126.60	3.53	163-6237	2-332	59.69	5.33
137-4118	2-217	29.74	3.53	4512	2-251	129.77	3.53	166-6250	2-333	62.87	5.33
138-4125	2-218	31.34	3.53	4525	2-252	132.95	3.53	169-6262	2-334	66.04	5.33
139-4131	2-219	32.92	3.53	4537	2-253	136.12	3.53	172-6275	2-335	69.22	5.33
140-4137	2-220	34.52	3.53	4550	2-254	139.30	3.53	175-6287	2-336	72.39	5.33
141-4143	2-221	36.09	3.53	4562	2-255	142.47	3.53	178-178		74.63	5.33
142-4150	2-222	37.69	3.53	4575	2-256	145.65	3.53	179-6300	2-337	75.57	5.33
144- 144	5-321	39.69	3.53	4587	2-257	148.82	3.53	180-6312	2-338	78.74	5.33
4162	2-223	40.87	3.53	4600	2-258	152.00	3.53	181-181		79.77	5.33
146- 146	2-223	41.28	3.53	4625	2-259	158.35	3.53	182-6325	2-339	81.92	5.33
147- 147	5-332	42.86	3.53	4650	2-260	164.70	3.53	183-6337	2-340	85.09	5.33
4175	2-224	44.05	3.53	4675	2-261	171.05	3.53	184-6350	2-341	88.27	5.33
149- 149	2-224	44.45	3.53	4700	2-262	177.40	3.53	185-185		89.69	5.33
150- 150	5-035	46.04	3.53	4725	2-263	183.75	3.53	186-6362	2-342	91.44	5.33
4187	2-225	47.22	3.53	4750	2-264	190.10	3.53	187-6375	2-343	94.62	5.33
152- 152	2-225	47.63	3.53	4775	2-265	196.45	3.53	188-6387	2-344	97.79	5.33
153- 153	5-701	49.21	3.53	4800	2-266	202.80	3.53	189-189		100.00	5.33
4200	2-226	50.40	3.53	4825	2-267	209.15	3.53	190-6400	2-345	100.97	5.33
155- 155	2-226	50.80	3.53	4850	2-268	215.50	3.53	191-6412	2-346	104.14	5.33
156- 156	5-037	52.39	3.53	4875	2-269	221.85	3.53	192-6425	2-347	107.32	5.33
4212	2-227	53.57	3.53	4900	2-270	228.20	3.53	193-193		109.50	5.33
158- 158	2-227	53.98	3.53	4925	2-271	234.55	3.53	194-6437	2-348	110.49	5.33
159- 159		55.56	3.53	4950	2-272	240.90	3.53	195-6450	2-349	113.67	5.33
4225	2-228	56.75	3.53	4975	2-273	247.25	3.53	199-199	2-350	117.50	5.33
161- 161	2-228	57.15	3.53	41000	2-274	253.60	3.53	201-201	2-351	120.70	5.33
162- 162	5-702	58.74	3.53	41050	2-275	266.29	3.53	203-203	2-352	123.80	5.33
4237	2-229	59.92	3.53	41100	2-276	278.99	3.53	206-206	2-353	127.00	5.33
164- 164	2-229	60.33	3.53	41150	2-277	291.69	3.53	208-208	2-354	130.20	5.33
165- 165	5-039	61.91	3.53	41200	2-278	304.39	3.53	210-210	2-355	133.40	5.33
4250	2-230	63.10	3.53	41300	2-279	329.79	3.53	213-213	2-356	136.50	5.33
167- 167	2-230	63.50	3.53	41400	2-280	355.19	3.53	215-215	2-357	139.70	5.33
168- 168	5-703	65.09	3.53	41500	2-281	380.59	3.53	217-217	2-358	142.90	5.33
4262	2-231	66.27	3.53	41600	2-282	405.26	3.53	219-219	2-359	146.10	5.33
170- 170	2-231	66.68	3.53	41700	2-283	430.66	3.53	221-221	2-360	149.20	5.33
171- 171	5-361	68.26	3.53	41800	2-284	456.06	3.53	6600	2-361	151.76	5.33
4275	2-232	69.45	3.53		2-309	10.47	5.33	6625	2-362	158.11	5.33
173- 173	2-232	69.85	3.53		2-310	12.07	5.33	6645	2-363	164.46	5.33
174- 174	5-704	71.44	3.53		2-311	13.64	5.33	6670	2-364	170.82	5.33
4287	2-233	72.62	3.53		2-312	15.24	5.33	6700	2-365	177.16	5.33
176- 176	2-233	73.03	3.53		2-313	16.82	5.33	6720	2-366	183.51	5.33
177- 177	5-705	74.61	3.53		2-314	18.42	5.33	6745	2-367	189.86	5.33
					2-315	19.99	5.33	6775	2-368	196.21	5.33
								6795	2-369	202.56	5.33
								6820	2-370	208.91	5.33
								6850	2-371	215.26	5.33
								6870	2-372	221.61	5.33
								6895	2-373	227.96	5.33
								6920	2-374	234.31	5.33
								6945	2-375	240.66	5.33
								6975	2-376	247.01	5.33
								6995	2-377	253.36	5.33
								61050	2-378	266.06	5.33
								61100	2-379	278.76	5.33
								61150	2-380	291.46	5.33
								61200	2-381	304.16	5.33
								61300	2-382	329.56	5.33
								61400	2-383	354.96	5.33
								61500	2-384	380.36	5.33
								61600	2-385	405.26	5.33
								61700	2-386	430.66	5.33
								61800	2-387	456.06	5.33
								61900	2-388	481.41	5.33
								62000	2-389	506.81	5.33
								62100	2-390	532.20	5.33
								62200	2-391	557.61	5.33
								62300	2-392	582.68	5.33
								62400	2-393	608.08	5.33
								62500	2-394	633.48	5.33
								62600	2-395	658.88	5.33

Usare il riferimento inglese

O - RING in viton®



Usare il riferimento inglese

Riferimenti commerciali		Dimensioni		Riferimenti commerciali		Dimensioni	
Inglese ¹⁾	USA	Ø int.	C	Inglese ¹⁾	USA	Ø int.	C
196-8450	2-425	113.67	6.99	243-8875		221.61	6.99
197- 197		114.70	6.99	244-8900	2-447	227.97	6.99
198-8462	2-426	116.84	6.99	245-8925		234.30	6.99
200-8475	2-427	120.02	6.99	246-8950	2-448	240.67	6.99
202-8487	2-428	123.19	6.99	247-8975		247.00	6.99
204- 204		124.60	6.99	248-81000	2-449	253.37	6.99
205-8500	2-429	126.37	6.99	249-81025		259.70	6.99
207-8512	2-430	129.54	6.99	250-81050	2-450	266.07	6.99
209-8525	2-431	132.72	6.99	251-81075		272.40	6.99
211- 211		134.50	6.99	252-81100	2-451	278.77	6.99
212-8537	2-432	135.89	6.99	253-81125		285.10	6.99
214-8550	2-433	139.07	6.99	254-81150	2-452	291.47	6.99
216-8562	2-434	142.24	6.99	255-81175		297.80	6.99
218-8575	2-435	145.42	6.99	256-81200	2-453	304.17	6.99
220-8587	5-436	148.59	6.99	257-81250	2-454	316.87	6.99
222-8600	2-437	151.77	6.99	258-81300	2-455	329.57	6.99
223- 223		155.60	6.99	259-81350	2-456	342.27	6.99
224-8625	2-438	158.12	6.99	260-81400	2-457	354.97	6.99
225- 225		159.50	6.99	261-81450	2-458	367.67	6.99
226- 226		161.90	6.99	262-81500	2-459	380.37	6.99
227-8650	2-439	164.47	6.99	263-81550	2-460	393.07	6.99
228- 228		166.69	6.99	81600	2-461	405.26	6.99
229- 229		168.30	6.99	81650	2-462	417.96	6.99
230-8675	2-440	170.82	6.99	81700	2-463	430.66	6.99
231- 231		174.60	6.99	81750	2-464	443.36	6.99
232- 8700	2-441	177.17	6.99	81800	2-465	456.06	6.99
233- 233		181.00	6.99	81850	2-466	468.76	6.99
234-8725	2-442	183.52	6.99	81900	2-467	481.46	6.99
235- 235		187.30	6.99	81950	2-468	494.16	6.99
236-8750	2-443	189.87	6.99	82000	2-469	506.86	6.99
237- 237		193.70	6.99	82100	2-470	532.26	6.99
238- 8775	2-444	196.22	6.99	82200	2-471	557.66	6.99
239- 239		200.00	6.99	82300	2-472	582.68	6.99
240-8800	2-445	202.57	6.99	82400	2-473	608.08	6.99
241-8825		208.92	6.99	82500	2-474	633.48	6.99
242-8850	2-446	215.27	6.99	82600	2-475	658.88	6.99

A magazzino sono sempre disponibili gli O-Ring con elastomero a base fluoro-carbonica del tipo Viton®, altri elastomeri a richiesta